



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D5815-7
Job Sheet 207575



POSITIVE RECALL

EFFECTIVE 3/15/20 AUTH: *[Signature]*

RELEASED _____ DATE _____

Part No: D5815-7

Job Qty: 24 pcs

Part Name: Stud



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/27/20

Job Tracking No:

Created By: Jennifer Renwick

Due Date: 4/27/20

Description:

Type: Stock

Note: URF 20-522 DWG 5815 REV.A IPP REV:A NEW ISSUE 20.01.16 JV VERF:DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard Setup Hrs	Run Hrs	Workcenter/Supplier	Lead Time	Sign-off
100	Hardinge - 1	24 pcs	4/27/20	4/27/20	0.50	1.60	Hardinge - 1	20-03-27	
110	QC 2	24 pcs	4/27/20	4/27/20	0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		
							QC 2 - 66		
							QC 2 - 64		
							QC 2 - 65		



Container No: S267219



Part: D5815-7

Job No: 207575

Serial No/Batch: S267219

Revision: REV.A

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com



Date: 03/27/20

Plex 3/12/20 8:07 AM Dart.lajeunesse.marie



File: 3/12/20 8:07 AM Dart.le@unicef.org

				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
				Packaging 3 - 37 - B4B	
140 QC 21 - SA	24 pcs	4/27/20	0.00 0.00	QC 21 - SA - 21	
				QC 21 - SA - 70	
				QC 21 - SA - 53	APR 01 2020
Part Op 100 - 1-Machine as per folio ED220 FOLIO REV: <u>AA</u> DWG REV: <u>A</u> 2-Deburr Descriptions: 110 - QC2- Inspect parts off machine FAI/FAIB 120 - QC8- Inspect parts - second check 130 - Identify as per dwg & Stock Location: 140 - QC21- Final Inspection - Work Order Release					
Job BOM					
Part / Item	Component Name	Quantity	Operation	Container	
M1018R0.625	M1018R0.625	4.0392 ft (1683 ea)	100-Hardinge - 1 SL-157	S265821	
Job Allocations					
Operation	Component Part	Required	Inventory	Allocated	
100-Hardinge - 1 SL-157	M1018R0.625	4	0	0	
Part Specifications					
Specifications could not be found.					

Plex 3/12/20 8:07 AM Dart.lajeunesse.marie



D5815-5 STUD
(DERIVED FROM AERO DESIGN P/N 94023-06)



D5815-7 STUD
(DERIVED FROM AERO DESIGN P/N 94023-07)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 207575 MLC
2003-12

UNDER REVIEW
URF 2020-522 20.02.14 (NO)

NOTES:

- 1) MATERIAL: AISI 1018/1025 STEEL ROUND BAR
PER MIL-S-7097 OR ASTM A108
REF DART SPEC M1018-R
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.006 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: -5: 0.21 lbs
-7: 0.13 lbs

RELEASED
2020 FEB 18 *ND*

APPROVED

DESIGN	ZF	DART AEROSPACE LTD	
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	DRAWING NO.	REV. A
MFG. APPR.	DD	D5815	SHEET 4 OF 5
APPROVED	NO	TITLE	SCALE
DE APPR.	CP	BASKET HOOPS	NTS
DATE	20.01.13	COPYRIGHT © 2020 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Work Order:	207575
Part Number:	D5815-7
	Page 1 of 1

[illegible]

DAS 62

Measured by: JB	9-89	Checked by: [Signature]	QC Inspector:
Date: 20.03.27		Date: 20/03/29	Date:

Engineering Approval: (If necessary)		Date:	
--	--	--------------	--

Rev	Date	Change	Revised by	Approved
A	27-Mar-20	New Issue	MG	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER POHB046115



Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

Attention: Langevin, Melanie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB046115

PO Date: 3/18/20

Due Date: 3/24/20

Purchase Order

Revision:

Revision Date:

Issued By:

Lavoie, Chantal
Phone: 613-623-5200 Ext: 242
Fax: 613-632-1053
clavoie@dartaero.com

E-MAILED
MAR 18 2020

Via: Ground

Pymt Terms: Net 60

Freight Terms:

Special Comments: QUOTATION NO. SOU246887

Items

Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1		M1018R0.250			M1018R0.250 MATERIAL: AISI 1018-1025 ROUND BAR AS PER mil-s-7097 or astm a108	Firmed	-	3/24/20	12 ft	0 ft	12 ft	\$0.2608/ft	\$3.13
2		M1018R0.625			M1018R0.625 MATERIAL: AIS11018-1025 ROUND BAR SPECIFICATION: MIL-S-7097 OR ASTM A108	Firmed	-	3/24/20	20 ft	0 ft	20 ft	\$1.206/ft	\$24.12
3		M1018R2.00			receive ft M1018R2.00 MATERIAL: AISI 1018-1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM A108 receive ft	Firmed	-	3/24/20	20 ft	0 ft	20 ft	\$10.2475/ft	\$204.95
4		M2024T3S.125			2024-T3 .125 Sheet MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 receive sf	Firmed	-	3/24/20	48 sf	0 sf	48 sf	\$26.7825/sf	\$1,285.56



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER POHB046115



Items													
Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
5		M2024T3S.063			2024-T3 .063 Sheet : MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 receive sf	Firmed -		3/24/20	96 sf	0 sf	96 sf	\$12.580208/sf	\$1,207.70
3		M2024T3S.080			2024-T3 .080 Sheet : MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 receive sf	Firmed -		3/24/20	96 sf	0 sf	96 sf	\$15.249687/sf	\$1,463.97
7		MT-A513-T-1.000W0.120	MT-A513-T		A513 Seamless Alloy Steel Round Tubing 1"dia. x 0.120" Wall MATERIAL:ASTM A513 TYPE 5 (1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM) ASTM A513 TYPE 5	Firmed -		3/24/20	40 ft	0 ft	40 ft	\$2.25/ft	\$90.00
8		M303R0.750			303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed -		3/24/20	36 ft	0 ft	36 ft	\$4.7455/ft	\$170.84
Grand Total:												\$4,450.27	

**ACIER OUELLETTE INC.**

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT

C000197354

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M**Delivery Route** 5**Customer N°**

CLI0001056

Date

2020/03/18

Delivery date**2020/03/23****Your order N°**

POHB046115

Processed by

Stephanie Dignard

Salesman

JOSIANNE BOURDON

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Product Description	Weight	Qty	UM	PCS RB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
1 ROUND CR 1/4 1018 (R) RCR-14 5277 1 X 12' R/L PO# POHB046115 LINE 1 HEAT : 44246GM	2.00	12.00	PI_\$CLB		1x12'						
2 ROUND CR 5/8 1018 (R) RCR-58 5351 1 X 20' R/L PO# POHB046115 LINE 2 HEAT : 43937G	20.80	20.00	PI_\$CLB		1x20'						
3 ROUND CR 2 1018 (R) RCR-2 5319 1 X 20' R/L PO# POHB046115 LINE 3 HEAT : 44830IS	213.60	20.00	PI_\$CLB		1x20'						
4 ALU SHEET 1/8 2024-T3 RANDOM FEAL-182024-V 8603 1 X 4' X 12' PO# POHB046115 LINE 4 HEAT : 348473B0 CAST : 219 AC35085-SA-2020/03/19	84.58	48.00	PI2_\$CLB		1x4'x12'						
5 ALU SHEET .064 (14G) 2024-T3 (4 X 12) DART FEALD-0644122024 12474 2 X 4' X 12' PO# POHB046115 LINE 5 LOT : 323583B5 CAST : 894	86.50	96.00	PI2_\$CLB		2x4'x12'						

L1WE2

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M1018R 0.625

PO / BATCH NO.: POH3046115
5265821

DATE: MAR 26 2020

MATERIAL CERT REC'D: YES
QUANTITY RECEIVED: 19 FT
QUANTITY INSPECTED: 19 FT
QUANTITY REJECTED:

THICKNESS ORDERED: 0.625
THICKNESS RECEIVED: 0.625
SHEET SIZE ORDERED:
SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	ASTM A108
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	HIT 432376
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u> </u>	SIGNED OFF BY: <u> </u>		
DATE: <u>MAR 26 2020</u>	DATE: <u> </u>		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

M1018 R.O. 225

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 1018-1025 ROUND BAR
 SPECIFICATION: MIL-S-7097 OR ASTM A108
 PART NUMBER: M1018-R.D.DDD WHERE D.DDD = DIAMETER IN INCHES
 TOLERANCES: PER ASTM A108 AS FOLLOWS:
 EG. 7/8" ROUND BAR = M1018-RD.875
 SIZE TOLERANCE
 UP TO 1.5" INCL. +0.000/-0.002
 OVER 1.5" TO 2.5" INCL. +0.000/-0.003
 OVER 2.5" TO 4.0" INCL. +0.000/-0.004
 OVER 4.0" TO 6.0" INCL. +0.000/-0.005
 OVER 6.0" TO 8.0" INCL. +0.000/-0.006

RELEASED
 2012-09-24

B		REFORMAT, ADD ASTM A108, ADD TOLERANCES	CP	12.08.05
A		NEW ISSUE	DS	01.06.12
REV.		DESCRIPTION	BY	DATE
DESIGN	DS			
DRAWN	CP			
CHECKED				
MFG. APPR.				
APPROVED				
DE APPR.				
DATE		12.09.05		

COMPONENT 2001 BY DART AEROSPACE LTD	
TITLE	1018-1025 ROUND BAR
SCALE	NTS
SHEET 1 OF 1	
REV. B	
DRAWING NO.	M1018-R
HAWKESBURY, ONTARIO, CANADA	
DART AEROSPACE LTD	

TRW-5936



ARANA Y LIBRERO, 2
1900 KILÓMETRA ALLESTIZO, VA (SPAIN)
Tels.: 91 40 30211
Fax: 91 40 30228
Email: c. arana@calidadspana.es
www.calidadspana.es

CERTIFICADO DE CALIDAD/QUALITY REPORT

De acuerdo a modo acordado:

2020年11月11日

21

U.S. DEPT. OF JUSTICE

FEDERAL BUREAU OF INVESTIGATION

WASHINGTON, D.C.

CERTIFICATE NO. 5496

ALBANY 5-1954

Debit Note No.

CLINIQUE LES ASTERS TRANSBEC (1997) LTÉE

Norma: EN 10277

Producción de libros de la Casa de la Cultura de la Universidad de la Habana.

Nartin

Bright steel products. Technical delivery conditions.

PRODUCTO REFINERADO / PRODUCT ACCORING AET-4-11

ITEM	ANO	REDAÇÃO	VALOR	VALOR	VALOR	VALOR
NON-50185	1018	RED. ESTIRADO 15,28 (1,17)	988	-0,051	14537	15,28
OU-51737	1019	RED. ESTIRADO 21,3 (1,17) 527 AC 21737	990	-0,051	14549	22,23
OU-51844	1018	RED. ESTIRADO 15,3 (1,17) 525 AC 21730	992	-0,051	14561	15,88
SM-51850	1018	RED. ESTIRADO 31,75 (1,17)	990	-0,051	14569	31,75
SM-51850	1018	RED. ESTIRADO 15,28 (1,17)	990	-0,051	14569	15,88
PAR-51969	1018	RED. ESTIRADO 11,1 (1,17)	972	-0,051	145729	11,11
OU-51927	1018	RED. ESTIRADO 15,81 (1,17) 523 AC 22121	1.002	-0,051	14584	23,81
OLV-51928	1018	RED. ESTIRADO 31,75 (1,17)	1.988	-0,051	145766	31,75
AQM-51941	1018	RED. ESTIRADO 25,20 (1,17)	1.070	-0,051	14582	25,40
AQM-51941	1018	RED. ESTIRADO 31,75 (1,17)	998	-0,051	145863	31,75
OU-51961	1018	RED. ESTIRADO 12,70 (1,17) 522 AC 22121	1.016	-0,051	145947	12,70
OU-51961	1018	RED. ESTIRADO 31,75 (1,17) 526 AC 22121	998	-0,051	145945	31,75
SM-52012	1018	RED. ESTIRADO 28,5 (1,17)	1.176	-0,051	146169	28,58
SM-52018	1018	RED. ESTIRADO 31,75 (1,17)	998	-0,051	146116	31,75
PAR-52057	1018	RED. ESTIRADO 31,75 (1,17)	3.986	-0,051	145133	31,75
PAJ-52058	1018	RED. ESTIRADO 30,16 (1,17)	1.022	-0,051	145147	30,16
PAJ-52058	1018	RED. ESTIRADO 31,75 (1,17)	2.042	-0,051	145148	31,75

Compendio de química de la colada / *Chemical Analysis of Haze*

MEASUREMENT	OF	COLADA	%	%	%	%	%	
MEASUREMENT		Case No.	C	Red	P	C	C	
15.88	0.00	145417	43997 G	0.160	0.645	0.010	0.012	0.151
22.23	0.03	145495	43715 G	0.170	0.670	0.001	0.012	0.193
15.88	0.03	145681	43997 G	0.160	0.645	0.010	0.012	0.151
31.75	0.03	145698	43725 AG	0.168	0.780	0.014	0.022	0.206
15.88	0.00	145698	43997 G	0.160	0.645	0.010	0.012	0.151
11.11	0.00	145729	43505 GM	0.150	0.710	0.009	0.022	0.190
23.01	0.00	145864	43583 AG	0.158	0.780	0.016	0.022	0.205
31.75	0.00	145866	43329 AG	0.160	0.780	0.014	0.022	0.205
25.40	0.03	145882	43929 G	0.160	0.740	0.010	0.012	0.151
31.75	0.03	145883	43329 AG	0.160	0.780	0.014	0.022	0.205
12.70	0.00	145947	43562 G	0.180	0.635	0.007	0.016	0.143
31.75	0.00	145948	43329 AG	0.168	0.780	0.014	0.022	0.205
28.58	0.00	146109	43366 G	0.180	0.670	0.014	0.019	0.161
31.75	0.20	146110	43329 AG	0.168	0.780	0.014	0.022	0.205
31.75	0.00	146133	43329 AG	0.168	0.780	0.014	0.022	0.205
30.16	0.00	146147	43560 AG	0.168	0.797	0.007	0.022	0.195
31.75	0.00	146148	43329 AG	0.168	0.780	0.014	0.022	0.205

Características mecánicas / Mechanical properties

4: 439376



ARANA Y LUPAREO, 2
48100 AGUIRRE, VIZCAYA (SPAIN)
Tels.: 94320411
Fax.: 9430193
E-mail: info@calibrados.es
www.calibrados.es

CERTIFICADO DE CALIDAD/QUALITY REPORT

Supervisión a medida de conformidad:

EN 10027-1:2004

3.1

Nº CERTIFICADO / CERTIFICATE NR.: 54954

ALUMINUM 54954
Delivery Note No.

CLIENTE LES ACIERS TRANSSEC (1597) LTB
CUSTO

Norma: EN 10027

Productos Calibrados de acero. Confeccionados de acuerdo a especificación.

Norm:

Bright steel products. Technical delivery conditions.

Medida Measurement	CT	Calibrado Cast No.	Tensión Tens. straight N/mm ²	Punto de Yield point 0,2% N/mm ²	Alargamiento Elongation Lo=50cm	Dureza Hardness HRC	Estirado %
15,88	145417	43937 G	569,77	646,97	16,48	203,80	55,53
22,23	145495	43415 G	561,80	602,43	23,96	176,03	55,20
15,88	145601	43937 G	600,09	616,97	16,40	200,63	55,53
31,75	145698	43329 AG	563,86	553,00	36,85	176,00	58,15
15,88	145696	43937 G	609,77	646,97	16,40	200,00	55,53
11,11	145729	43505 G	620,32	563,43	20,16	203,00	63,09
23,81	145864	43573 AG	558,00	596,69	29,13	176,00	60,47
31,75	145866	43329 AG	563,00	535,00	36,86	176,00	58,15
25,40	145882	43929 G	600,03	595,04	23,62	210,00	57,95
31,75	145883	43329 AG	563,00	535,00	36,85	176,00	58,15
12,70	145917	43563 G	613,14	557,58	19,52	210,00	59,22
31,75	145945	43329 AG	563,00	535,00	36,85	176,00	58,15
28,58	146109	43806 G	573,00	535,80	15,98	169,00	59,45
31,75	146110	43329 AG	563,00	535,00	36,86	176,00	58,15
31,75	146133	43329 AG	563,00	535,00	36,86	176,00	58,15
30,16	146147	43560 AG	553,50	521,30	36,70	172,00	58,87
31,75	146148	43329 AG	563,00	535,00	36,86	176,00	58,15

Calidad Superficial

DESCRIPCIÓN Description	CT	Calidad EN 10027-1
1018 RED. ESTIRADO 15,88 (5/8")	145417	2
1018 RED. ESTIRADO 22,23 (7/8")	145495	2
1018 RED. ESTIRADO 15,88 (5/8")	145601	2
1018 RED. ESTIRADO 31,75 (1 1/4")	145698	2
1018 RED. ESTIRADO 15,88 (5/8")	145696	2
1018 RED. ESTIRADO 11,11 (7/16")	145729	2
1018 RED. ESTIRADO 23,81 (1 5/16")	145864	2
1018 RED. ESTIRADO 31,75 (1 1/4")	145866	2
1018 RED. ESTIRADO 25,40 (1")	145882	2
1018 RED. ESTIRADO 31,75 (1 1/4")	145883	2
1018 RED. ESTIRADO 12,70 (1/2")	145917	2
1018 RED. ESTIRADO 31,75 (1 1/4")	145945	2
1018 RED. ESTIRADO 28,58 (1 1/8")	146109	2
1018 RED. ESTIRADO 31,75 (1 1/4")	146110	2
1018 RED. ESTIRADO 31,75 (1 1/4")	146133	2
1018 RED. ESTIRADO 30,16 (1 3/16")	146147	2
1018 RED. ESTIRADO 31,75 (1 1/4")	146148	2

(3)



AVDA. Y. LUGAR 20, 2
49400 LUGO - GALICIA (SPAIN)
Tfno: 986 19 21 1
Fax: 986 19 21 2
Email: calibrados@calibrados.es
www.calibrados.es

CERTIFICADO DE CALIDAD / QUALITY REPORT

De acuerdo a / According to: EN 10277 / DIN 50829 3.1

Nº DE CERTIFICADO / CERTIFICATE NR.: 54954

ALIANZA 54954 Delivery Note No.	CREDITO LES AGIBES TRANSBSC (1997) LTDA CUSTOMER
------------------------------------	---

Norma: EN 10277 Productos Calientes Acero, Carbono y otros aceros al carbono.
Norm: Bright steel products, Technical delivery conditions.

Observaciones: LAMINAS DE ACERO ENTREGADAS EN ESTADO LLENO

DEPARTAMENTO DE CALIDAD: Certificar que el producto cumple con las especificaciones de calidad.
QUALITY DEPARTMENT: Certify that the product fulfills the order specifications.

Fecha/Date: 22/01/2019
Firma/Signature: [Signature]
Directo/By: [Name]

